## NOTES: 1. SUBSTRATE: FUSED SILICA


2. COATING (APPLY ACROSS CLEAR APERTURE)

S1: R(ABS) ≤0.25% @ 1064nm S2: R(ABS) ≤0.25% @ 1064nm

- 3. EDGES: FINE GROUND
- 4. CENTERING: <3-5 ARCMIN
- 5. ASPHERE FIGURE ERROR: 0.75 µm RMS



 $Z_{\scriptscriptstyle ASPH}\left(Y\right) = \frac{(\frac{1}{RADIUS})^*Y^2}{1 + \sqrt{1 - (1 + k)^*(\frac{1}{RADIUS})^2*Y^2}} + D^*Y^2 + E^*Y^4 + F^*Y^6 + G^*Y^8 + H^*Y^{10} + J^*Y^{12} + L^*Y^{14}$ 



SECTION A-A

COEFFIECIENT	S1						
k	-2.0501907						
D	0.000000E+00						
E	7.1228748E-05						
F	-1.0688222E-07						
G	3.2884865E-10						
н	-3.7743420E-13						
J	0.000000E+00						
L	0.000000E+00						

## *FOR INFORMATION ONLY:* DO NOT MANUFACTURE PARTS TO THIS DRAWING

## SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE DIMENSIONS ARE FOR REFERENCE ONLY

SHAPE	\$1 CONVEX	S2 PLANO	EFL @ 587.6µm BFL @ 587.6µm	30 24.17		Edmund Opt	tics®			
RADIUS SURFACE QUALITY	6.877 60-40	INFINITY 60-40	THIRD ANGLE				THIRD ANGLE	TITLE	25mm DIA 0.42 NA, 1064nm V-0 ASPHERIC LENS	COAT,
CLEAR APERTURE	13.5	13.5	1	I						
BEVEL MAX	PROTECTIVE AS NEEDED	PROTECTIVE AS NEEDED	ALL DIMS IN	mm	DWG NO	33020	SHEET 1 OF 1			