

NOTES:


- 1. SUBSTRATE: CRYSTAL QUARTZ
- COATING (APPLY ACROSS CLEAR APERTURE) \$1 & \$2: R(ABS) <0.25% @ 980nm DAMAGE THRESHOLD: 3.5 J/cm² @10ns @ 1064nm
- 3. SURFACE \$1 TO BE PARALLEL TO SURFACE \$2 TO WITHIN <0.5 arcsec
- 4. RETARDANCE: $\lambda/2 \pm \lambda/200$
- 5. TRANSMITTED WAVEFRONT: $\lambda/10$ FOR CENTRAL 80% OF CLEAR APERTURE
- 6. ROHS COMPLIANT





7.80_0.00

·S2



CLEAR APERTURE	\$1 Ø15.0	\$2 Ø15.0	THIRD ANGLE PROJECTION			Ø25.4mm, 980nm, λ/2 QUARTZ WAVEPLATE ZERO ORDER	
SURFACE QUALITY	10-5	10-5	ALL DIMS IN	mm	DWG NO	46557	SHEET 1 OF 1