

**TECHSPEC® 22mm CA, 35mm FL, Mounted MgF<sub>2</sub> Coated Achromatic Doublet Lens**



TECHSPEC® Mounted MgF2 Coated Achromatic Lenses

Stock **#13-003** CLEARANCE 3-4 DAYS



1



**€102,95**

ADD TO CART

Qty 1+

€102,95

Volume Pricing

[Request Quote](#)

Prices shown are exclusive of VAT/local taxes

Get Product Downloads



Effective Focal Length EFL (mm):  
35.00

Substrate: ☐  
[S-BAH11](#) / [N-SF10](#)

f/#:  
1.4

Numerical Aperture NA:  
0.36

|                                                                       |
|-----------------------------------------------------------------------|
| <b>Coating:</b><br>MgF <sub>2</sub> (400-700nm)                       |
| <b>Type:</b><br>Achromatic Lens                                       |
| <b>Wavelength Range (nm):</b><br>400 - 700                            |
| <b>Back Focal Length BFL from Housing (mm):</b><br>22.19              |
| <b>Bevel:</b><br>Protective bevel as needed                           |
| <b>Clear Aperture CA (mm):</b><br>22.0                                |
| <b>Coating Specification:</b><br>R <sub>avg</sub> ≤1.75% @400 - 700nm |
| <b>Edge Thickness ET (mm):</b><br>9.47                                |
| <b>Focal Length Specification Wavelength (nm):</b><br>587.6           |
| <b>Focal Length Tolerance (%):</b><br>±2                              |
| <b>Radius R<sub>1</sub> (mm):</b><br>24.47                            |
| <b>Radius R<sub>2</sub> (mm):</b><br>-16.49                           |
| <b>Radius R<sub>3</sub> (mm):</b><br>-131.65                          |
| <b>Surface Quality:</b><br>40-20                                      |
| <b>Lens Included:</b><br><a href="#">#32-319</a>                      |
| <b>Mount Included:</b><br><a href="#">#56-354</a>                     |
| <b>Mount Diameter (mm):</b><br>30.0                                   |
| <b>Extension Length (mm):</b><br>24.2                                 |
| <b>Total Length (mm):</b><br>28.2                                     |
| <b>Thread Type:</b><br>C-Mount                                        |
| <b>Power (P-V) @ 632.8nm:</b><br>1.5λ                                 |
| <b>Irregularity (P-V) @ 632.8nm:</b><br>λ/4                           |

## Regulatory Compliance

|                                                            |
|------------------------------------------------------------|
| <b>RoHS:</b><br><a href="#">Compliant</a>                  |
| <b>Certificate of Conformance:</b><br><a href="#">View</a> |