## NOTES:

1. SUBSTRATE:

N-BK7


2. COATING (APPLY ACROSS COATING APERTURE)


S1: ALUMINUM COATED W/ PROTECTIVE OVERCOAT R(AVG)>85% FROM 400-700nm, @ 45° AOI

S2: NONE

3. FINE GRIND SURFACE

4. RoHS COMPLIANT





## FOR INFORMATION ONLY: DO NOT MANUFACTURE PARTS TO THIS DRAWING

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE DIMENSIONS ARE FOR REFERENCE ONLY

REV. A	S1	S2	
SHAPE	PLANO	PLANO	
SURFACE QUALITY	60-40	60-40	
CLEAR APERTURE	6.39 x 4.5	4.5 x 4.5	
COATING APERTURE	6.39 x 4.5	4.5 x 4.5	
SURFACE FLATNESS	λ/4	λ/4	
BEVEL	PROTECTIVE AS NEEDED	TECTIVE AS NEEDED   PROTECTIVE AS NEEDED	

		B	<b>Edmund Optics</b> ®		
THIRD ANGLE PROJECTION		TITLE	5mm, Aluminum Coated, N-BK7 Right Angle Prism		
ALL DIMS IN	mm	DWG NO	32329	SHEET 1 OF 1	