

## NOTES:

- 1. SUBSTRATE: ZINC SELENIDE (ZnSe)
- 2. SURFACE S2 TO BE PARALLEL WITH S1 TO <1 arcmin
- 3. COATING (APPLY ACROSS CLEAR APERTURE) S1 & S2: RAVG <5.0% @ 3 - 12µm



5. Rohs Compliant





## FOR INFORMATION ONLY: DO NOT MANUFACTURE PARTS TO THIS DRAWING

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE DIMENSIONS ARE FOR REFERENCE ONLY

	\$1	\$2	
SHAPE	PLANO	PLANO	
SURFACE QUALITY	60-40	60-40	
SURFACE FLATNESS	λ/10 @ 10.6μm	λ/10 @ 10.6μm	
BEVEL	PROTECTIVE AS NEEDED	PROTECTIVE AS NEEDED	

			Edmund Optics®	
HIRD ANGLE - PROJECTION		TITLE	Ø10mm x 1.5mm THICKNESS, 3 - 12µ COATED, ZnSe WINDOW	ım
ALL DIMS IN	mm	DWG NO	47936	SHEET 1 OF

Ø10mm x 1.5mm THICKNESS, 3 - 12µm COATED, ZnSe WINDOW		
17936	SHEET 1 OF 1	