NOTES:

- 1. SUBSTRATE MATERIAL: N-BK7
- 2. COATING (APPLY ACROSS CLEAR APERTURE)


S1 & S2: NONE




FINE GROUND SURFACE

- 4. POWER, IRREGULARITY, AND SURFACE QUALITY SPECIFICAIONS APPLY ACROSS CLEAR APERTURE
- 5. Rohs Compliant







SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE DIMENSIONS ARE FOR REFERENCE ONLY

REV. A	S1	S2					
SHAPE	CONVEX	PLANO	EFL	-50		Edmund Ontice	¬ ®
RADIUS	-25.84	∞	BFL	-51.65		Edmund Optics	5 °
SURFACE QUALITY	60-40	60-40		1		12.5mm H X 25mm L X -50mm FL UNCOA	TED
CLEAR APERTURE	11.50 X 24.00	11.50 X 24.00	THIRD ANGLE PROJECTION		TITLE	CYLINDER LENS	
COATING APERTURE	11.50 X 24.00	11.50 X 24.00					CLIEFT
BEVEL	PROTECTED AS NEEDED	PROTECTED AS NEEDED	ALL DIMS IN	mm	DWG NO	68056	SHEET 1 OF 1