


## NOTES:


- 1. SUBSTRATE: CRYSTAL QUARTZ
- 2. COATING (APPLY ACROSS CLEAR APERTURE) \$1 & \$2: R(ABS) <0.25% @ 800nm DAMAGE THRESHOLD: 3.5 J/cm² @10ns @ 1064nm
- 3. SURFACE S1 TO BE PARALLEL TO SURFACE S2 TO WITHIN <0.5 arcsec
- 4. RETARDANCE:  $\lambda/2 \pm \lambda/200$
- 5. TRANSMITTED WAVEFRONT: λ/10 FOR CENTRAL 80% OF CLEAR APERTURE
- 6. Rohs Compliant





## FOR INFORMATION ONLY: DO NOT MANUFACTURE PARTS TO THIS DRAWING





SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE DIMENSIONS ARE FOR REFERENCE ONLY

|                 | \$1   | \$2   | THIRD ANGLE PROJECTION |    | TITLE  | Ø25.4mm, 800nm, λ/2 QUARTZ WAVEPLATE<br>ZERO ORDER |                 |
|-----------------|-------|-------|------------------------|----|--------|--|-----------------|
| CLEAR APERTURE  | Ø15.0 | Ø15.0 |                        |    |        |  |                 |
| SURFACE QUALITY | 10-5  | 10-5  | ALL DIMS IN            | mm | DWG NO | 46555  | SHEET<br>1 OF 1 |