


NOTES:

- 1. SUBSTRATE:
SAPPHIRE (AL2O3)
- 2. SURFACE S2 TO BE PARALLEL WITH SUFACE S1 TO WITHIN $\leq 3.5 \text{ ARMIN}$
- 3. COATING (APPLY ACROSS CLEAR APERTURE)
S1 & S2: NONE


4. FINE GRIND SURFACE

- 5. ROHS COMPLIANT



FOR INFORMATION ONLY:
DO NOT MANUFACTURE
PARTS TO THIS DRAWING

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE
DIMENSIONS ARE FOR REFERENCE ONLY

	S1	S2				
SHAPE	PLANO	PLANO				
CLEAR APERTURE	Ø 45.72	Ø 45.72				
SURFACE FLATNESS	2λ (typical)	2λ (typical)	TITLE			
SURFACE QUALITY	80-50	80-50				
BIREFRINGENCE (no-ne)	0.008	0.008	50.8mm Dia., 0.5mm Thick, Uncoated Sapphire Window			
BEVEL	PROTECTED AS NEEDED	PROTECTED AS NEEDED				
			ALL DIMS IN	mm	DWG NO	71233
						SHEET 11 OF 12

 Edmund Optics®