

[All Products](#) / [Optics](#) / [Optical Mirrors](#) / [Ultrafast-Enhanced Silver Coated](#)

[See all 16 Products in Family](#)


**TECHSPEC®**

# 12.7mm Dia. x 203.2mm Focal Length Silver Coated, 50A OAP Mirror

Please select your shipping country to view the most accurate inventory information, and to determine the correct Edmund Optics sales office for your order.

Select Your Country/Region: European Union

Submit



Stock #17-138 **5 In Stock** [Other Coating Options](#)

- 1 +

€335<sup>00</sup>

ADD TO CART

TECHSPEC® Ultrafast-Enhanced Silver Coated Off-Axis Parabolic (OAP) Mirror

Volume Pricing	
Qty 1-5	€335,00 each
Qty 6-10	€302,00 each
Qty 11-25	€268,00 each
Need More?	<a href="#">Request Quote</a>

Prices shown are exclusive of VAT/local taxes

### Product Downloads

- STEP:step
- Curve:pdf
- PDF Drawing:pdf
- IGES:igs
- Zemax:zar
- Zemax:zmx
- eDrawing:eprt
- Code V:seq
- EO Spec Sheet
- [Download All](#)

## General

**Type:** Off-Axis Parabolic Mirror

## Physical & Mechanical Properties

**Y Offset (mm):** 203.20

**Diameter (mm):** 12.70  
+0.00/-0.10

**Surface Roughness (Å):** <50 RMS

## Optical Properties

**Coating Type:** Ultrafast-Enhanced Silver

**Coating:** Ultrafast-Enhanced Silver (600-1000nm)

**Off-Set Angle (°):** 90

**Wavelength Range (nm):** 600 - 1000

**Effective Focal Length EFL (mm):** 203.20

**Substrate:** Aluminum 6061-T6

**Coating Specification:** R<sub>avg</sub> >99% @ 600 - 1000nm, 0°  
R<sub>s</sub> >99% @ 540 - 1000nm, 45°  
R<sub>p</sub> >98.5% @ ~730 - 870nm, 45°

**Focal Length Tolerance (%):** ±1

**Parent Focal Length PFL (mm):** 101.60

**Surface Figure, RMS:** λ/8

**Surface Quality:** 80-50

**Damage Threshold, Reference:** ①  
0.3 J/cm<sup>2</sup> @ 800nm, 48fs, 1 pulse (typical)  
0.16 J/cm<sup>2</sup> @ 800nm, 48fs.

Please select your shipping country to view the most accurate inventory information, and to determine the correct Edmund Optics sales office for your order.

**Select Your Country/Region:**

**GDD Specification:** 0 ±20fs<sup>2</sup> @ 600 - 1050nm

**Reflected Wavefront, RMS:** λ/4

## Threading & Mounting

**Compatible Mounting Plates:** [#34-425](#)

## Regulatory Compliance

**Certificate of Conformance:** [View](#)

## Need different specs or modifications?

Edmund Optics offers comprehensive custom manufacturing services for optical and imaging components tailored to your specific application requirements. Whether in the prototyping phase or preparing for full-scale production, we provide flexible solutions to meet your needs. Our experienced engineers are here to assist—from concept to completion.

Our capabilities include:

- Custom dimensions, materials, coatings, and more
- High-precision surface quality and flatness
- Tight tolerances and complex geometries
- Scalable production—from prototype to volume

Learn more about our [custom manufacturing capabilities](#) or submit an inquiry [here](#).

## Product Details


- Ultrafast-Enhanced Silver Coating for Ti:sapphire and Yb:doped Lasers
- Low Group Delay Dispersion
- <50Å RMS Surface Roughness to Minimize Scatter

TECHSPEC® Ultrafast-Enhanced Silver Coated Off-Axis Parabolic (OAP) Mirrors are used to collimate or focus incident light at a specified offset angle. These mirrors are coated with an ultrafast-enhanced silver coatings which provide a >99% reflectivity while maintaining a low group delay dispersion (GDD) of 0 ±20fs<sup>2</sup> at their design wavelength range. The off-axis design of these mirrors separates the focal point from the beam path, allowing for more interactive space around the focal point without disrupting the incident beam. TECHSPEC Ultrafast-Enhanced Silver Coated OAP Mirrors are ideal for focusing laser light from low-to-medium power ultrafast lasers, including Ti:sapphire and Yb:doped fiber lasers, while minimizing the temporal spreading of the ultrafast pulses. Mounting plates with holes perpendicular to the optical axis are available for mounting these mirrors into benchtop systems.



## Technical Information

*600-1000nm Ultrafast-Enhanced Silver*

## Related Products




Laser Line Coated Off-Axis Parabolic (OAP) Mirrors



Ultrafast Optics


Please select your shipping country to view the most accurate inventory information, and to determine the correct Edmund Optics sales office for your order.  
**Select Your Country/Region:**

### Frequently Purchased Together



#89-845 - UV Fused Silica 25.4 x 25.4mm Ultrafast Prism  
€249,00

Qty



#13-059 - 600 - 1000nm, 12.7mm Dia. Ultrafast-Enhanced Silver Laser Mirror  
€96,00

Qty



#17-134 - 12.7mm Dia. x 25.4mm EFL, 600-1000nm Ultrafast-Enhanced Silver Coated, 50Å OAP Mirror  
€335,00

Qty



#17-139 - 25.4mm Dia. x 25.4mm EFL, 600-1000nm Ultrafast-Enhanced Silver Coated, 50Å OAP Mirror  
€352,00

Qty

## Resources

#### Media Type

- Application Note
- Technical Tool
- FAQ
- Glossary
- Video
- Trending in Optics
- Published Article
- Scientific Paper

**APPLICATION NOTE**

An Introduction to Optical Coatings

**TECHNICAL TOOL**

Gaussian Beams Calculator

**CASE STUDIES**

Using IR Spectroscopy for Counterfeit Drug Detection

**CASE STUDIES**

Laser Optics for Eye Surgery

**APPLICATION NOTE**

Effects of Laser Mirror Surface Flatness

**APPLICATION NOTE**

Basics of Ultrafast Lasers

[View More](#)

Please select your shipping country to view the most accurate inventory information, and to determine the correct Edmund Optics sales office for your order.

**Select Your Country/Region:**