

[See all 245 Products in Family](#)

TECHSPEC<sup>®</sup> 25mm Dia. x 250mm, UV-VIS Coated, UV Double-Convex Lens



UV Fused Silica Double-Convex (DCX) Lenses



Stock **#48-850** [CONTACT US](#)

☐ [Other Coating Options](#)

-

1

+

€159<sup>00</sup>

ADD TO CART

| Volume Pricing |                               |
|----------------|-------------------------------|
| Qty 1-5        | €159,00 each                  |
| Qty 6-25       | €127,00 each                  |
| Qty 26-49      | €119,00 each                  |
| Need More?     | <a href="#">Request Quote</a> |

Prices shown are exclusive of VAT/local taxes

Product Downloads

General

Type:

Double-Convex Lens

Physical & Mechanical Properties

|                      |                           |
|----------------------|---------------------------|
| 25.00 +0.0/-0.025    | Diameter (mm):            |
| <1                   | Centering (arcmin):       |
| Protective as needed | Bevel:                    |
| 3.21 ±0.10           | Center Thickness CT (mm): |
| 2.53                 | Edge Thickness ET (mm):   |
| 24.00                | Clear Aperture CA (mm):   |

|                                                                              |                                                       |
|------------------------------------------------------------------------------|-------------------------------------------------------|
| Optical Properties                                                           |                                                       |
| 248.90                                                                       | Back Focal Length BFL (mm):                           |
| 250.00                                                                       | Effective Focal Length EFL (mm):                      |
| UV-VIS (250-700nm)                                                           | Coating:                                              |
| R <sub>abs</sub> ≤1.0% @ 350 - 450nm<br>R <sub>avg</sub> ≤1.5% @ 250 - 700nm | Coating Specification:                                |
| Fused Silica (Corning 7980)                                                  | Substrate: <input type="checkbox"/>                   |
| 40-20                                                                        | Surface Quality:                                      |
| 1.5λ                                                                         | Power (P-V) @ 632.8nm:                                |
| λ/4                                                                          | Irregularity (P-V) @ 632.8nm:                         |
| 228.73                                                                       | Radius R <sub>1</sub> =R <sub>2</sub> (mm):           |
| 10.00                                                                        | f#:                                                   |
| 587.6                                                                        | Focal Length Specification Wavelength (nm):           |
| ±1                                                                           | Focal Length Tolerance (%):                           |
| 0.06                                                                         | Numerical Aperture NA:                                |
| 250 - 700                                                                    | Wavelength Range (nm):                                |
| 3 J/cm <sup>2</sup> @ 355nm, 10ns<br>5 J/cm <sup>2</sup> @ 532nm, 10ns       | Damage Threshold, Reference: <input type="checkbox"/> |

|                       |                             |
|-----------------------|-----------------------------|
| Regulatory Compliance |                             |
| Compliant             | RoHS 2015:                  |
| View                  | Certificate of Conformance: |
| Compliant             | Reach 235:                  |

## Product Details

- Ideal for Imaging Applications
- Minimize Aberrations Including Spherical and Coma
- Precision Fused Silica Substrate

TECHSPEC® UV Fused Silica Double-Convex (DCX) Lenses, also referred to as bi-convex lenses, have two positive, symmetrical faces with equal radii on both sides. These lenses are generally recommended for finite imaging applications with a conjugate ratio (ratio between object distance and image distance) between 0.2 and 5. At a conjugate ratio of 1, aberrations such as spherical aberration, chromatic aberration, coma, and distortion are minimized or canceled due to the symmetric lens design. TECHSPEC® UV Fused Silica Double-Convex (DCX) Lenses have a precision fused silica substrate. These lenses are available uncoated or with UV-AR, UV-VIS, VIS-EXT, VIS-NIR, VIS 0°, NIR I, or NIR II coatings.

## Technical Information



UV FS Transmission Curve

| FUSED SILICA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                    |                    |     |    |     |    |     |     |     |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|--------------------|-----|----|-----|----|-----|-----|-----|----|------|----|------|----|------|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|------|----|------|----|------|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <div><div>Uncoated Fused Silica<br/>Typical Transmission</div><div><table border="1"><caption>Approximate data for Uncoated Fused Silica</caption><thead><tr><th>Wavelength (nm)</th><th>Transmission T (%)</th></tr></thead><tbody><tr><td>200</td><td>92</td></tr><tr><td>400</td><td>94</td></tr><tr><td>600</td><td>94</td></tr><tr><td>800</td><td>94</td></tr><tr><td>1000</td><td>94</td></tr><tr><td>1200</td><td>94</td></tr><tr><td>1400</td><td>92</td></tr><tr><td>1600</td><td>94</td></tr><tr><td>1800</td><td>94</td></tr><tr><td>2000</td><td>94</td></tr><tr><td>2200</td><td>90</td></tr></tbody></table></div></div>                        | Wavelength (nm)    | Transmission T (%) | 200 | 92 | 400 | 94 | 600 | 94  | 800 | 94 | 1000 | 94 | 1200 | 94 | 1400 | 92 | 1600                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 94 | 1800 | 94 | 2000 | 94 | 2200 | 90 | <div><p>Typical transmission of a 3mm thick, uncoated fused silica window across the UV - NIR spectra.</p><p><a href="#">Click Here to Download Data</a></p></div>                                                                                                                                                                                                                                                                           |
| Wavelength (nm)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Transmission T (%) |                    |     |    |     |    |     |     |     |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 200                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 92                 |                    |     |    |     |    |     |     |     |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 400                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 94                 |                    |     |    |     |    |     |     |     |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 600                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 94                 |                    |     |    |     |    |     |     |     |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 800                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 94                 |                    |     |    |     |    |     |     |     |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 1000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 94                 |                    |     |    |     |    |     |     |     |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 1200                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 94                 |                    |     |    |     |    |     |     |     |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 1400                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 92                 |                    |     |    |     |    |     |     |     |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 1600                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 94                 |                    |     |    |     |    |     |     |     |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 1800                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 94                 |                    |     |    |     |    |     |     |     |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 2000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 94                 |                    |     |    |     |    |     |     |     |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 2200                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 90                 |                    |     |    |     |    |     |     |     |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <div><div>Fused Silica with MgF<sub>2</sub> Coating<br/>Typical Transmission</div><div><table border="1"><caption>Approximate data for MgF2 Coated Fused Silica</caption><thead><tr><th>Wavelength (nm)</th><th>Transmission T (%)</th></tr></thead><tbody><tr><td>200</td><td>94</td></tr><tr><td>400</td><td>96</td></tr><tr><td>600</td><td>96</td></tr><tr><td>800</td><td>95</td></tr><tr><td>1000</td><td>95</td></tr><tr><td>1200</td><td>95</td></tr><tr><td>1400</td><td>93</td></tr><tr><td>1600</td><td>95</td></tr><tr><td>1800</td><td>95</td></tr><tr><td>2000</td><td>95</td></tr><tr><td>2200</td><td>90</td></tr></tbody></table></div></div> | Wavelength (nm)    | Transmission T (%) | 200 | 94 | 400 | 96 | 600 | 96  | 800 | 95 | 1000 | 95 | 1200 | 95 | 1400 | 93 | 1600                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 95 | 1800 | 95 | 2000 | 95 | 2200 | 90 | <div><p>Typical transmission of a 3mm thick fused silica window with MgF<sub>2</sub> (400-700nm) coating at 0° AOI.</p><p>The blue shaded region indicates the coating design wavelength range, with the following specification:</p><p><math>R_{avg} \leq 1.75\% @ 400 - 700\text{nm}</math> (N-BK7)</p><p>Data outside this range is not guaranteed and is for reference only.</p><p><a href="#">Click Here to Download Data</a></p></div> |
| Wavelength (nm)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Transmission T (%) |                    |     |    |     |    |     |     |     |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 200                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 94                 |                    |     |    |     |    |     |     |     |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 400                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 96                 |                    |     |    |     |    |     |     |     |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 600                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 96                 |                    |     |    |     |    |     |     |     |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 800                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 95                 |                    |     |    |     |    |     |     |     |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 1000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 95                 |                    |     |    |     |    |     |     |     |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 1200                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 95                 |                    |     |    |     |    |     |     |     |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 1400                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 93                 |                    |     |    |     |    |     |     |     |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 1600                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 95                 |                    |     |    |     |    |     |     |     |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 1800                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 95                 |                    |     |    |     |    |     |     |     |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 2000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 95                 |                    |     |    |     |    |     |     |     |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 2200                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 90                 |                    |     |    |     |    |     |     |     |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <div><div>Fused Silica with UV-AR Coating<br/>Typical Transmission</div><div><table border="1"><caption>Approximate data for UV-AR Coated Fused Silica</caption><thead><tr><th>Wavelength (nm)</th><th>Transmission T (%)</th></tr></thead><tbody><tr><td>200</td><td>70</td></tr><tr><td>250</td><td>99</td></tr><tr><td>400</td><td>100</td></tr><tr><td>600</td><td>90</td></tr><tr><td>800</td><td>78</td></tr><tr><td>1000</td><td>75</td></tr><tr><td>1200</td><td>76</td></tr></tbody></table></div></div>                                                                                                                                              | Wavelength (nm)    | Transmission T (%) | 200 | 70 | 250 | 99 | 400 | 100 | 600 | 90 | 800  | 78 | 1000 | 75 | 1200 | 76 | <div><p>Typical transmission of a 3mm thick fused silica window with UV-AR (250-425nm) coating at 0° AOI.</p><p>The blue shaded region indicates the coating design wavelength range, with the following specification:</p><p><math>R_{abs} \leq 1.0\% @ 250 - 425\text{nm}</math><br/><math>R_{avg} \leq 0.75\% @ 250 - 425\text{nm}</math><br/><math>R_{avg} \leq 0.5\% @ 370 - 420\text{nm}</math></p><p>Data outside this range is not guaranteed and is for reference only.</p><p><a href="#">Click Here to Download Data</a></p></div> |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Wavelength (nm)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Transmission T (%) |                    |     |    |     |    |     |     |     |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 200                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 70                 |                    |     |    |     |    |     |     |     |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 250                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 99                 |                    |     |    |     |    |     |     |     |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 400                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 100                |                    |     |    |     |    |     |     |     |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 600                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 90                 |                    |     |    |     |    |     |     |     |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 800                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 78                 |                    |     |    |     |    |     |     |     |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 1000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 75                 |                    |     |    |     |    |     |     |     |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 1200                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 76                 |                    |     |    |     |    |     |     |     |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                              |

|                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <div><div>Fused Silica with UV-VIS Coating</div><div>Typical Transmission</div></div>    | <div><p>Typical transmission of a 3mm thick fused silica window with UV-VIS (250-700nm) coating at 0° AOI.</p><p>The blue shaded region indicates the coating design wavelength range, with the following specification:</p><div><div><math>R_{abs} \leq 1.0\%</math> @ 350 - 450nm</div><div><math>R_{avg} \leq 1.5\%</math> @ 250 - 700nm</div></div><p>Data outside this range is not guaranteed and is for reference only.</p><p><a href="#">Click Here to Download Data</a></p></div>                                                         |
| <div><div>Fused Silica with VIS-EXT Coating</div><div>Typical Transmission</div></div>  | <div><p>Typical transmission of a 3mm thick fused silica window with VIS-EXT (350-700nm) coating at 0° AOI.</p><p>The blue shaded region indicates the coating design wavelength range, with the following specification:</p><div><div><math>R_{avg} \leq 0.5\%</math> @ 350 - 700nm</div></div><p>Data outside this range is not guaranteed and is for reference only.</p><p><a href="#">Click Here to Download Data</a></p></div>                                                                                                                |
| <div><div>Fused Silica with VIS-NIR Coating</div><div>Typical Transmission</div></div> | <div><p>Typical transmission of a 3mm thick fused silica window with VIS-NIR (400-1000nm) coating at 0° AOI.</p><p>The blue shaded region indicates the coating design wavelength range, with the following specification:</p><div><div><math>R_{abs} \leq 0.25\%</math> @ 880nm</div><div><math>R_{avg} \leq 1.25\%</math> @ 400 - 870nm</div><div><math>R_{avg} \leq 1.25\%</math> @ 890 - 1000nm</div></div><p>Data outside this range is not guaranteed and is for reference only.</p><p><a href="#">Click Here to Download Data</a></p></div> |
| <div><div>Fused Silica with VIS 0° Coating</div><div>Typical Transmission</div></div>  | <div><p>Typical transmission of a 3mm thick fused silica window with VIS 0° (425-675nm) coating at 0° AOI.</p><p>The blue shaded region indicates the coating design wavelength range, with the following specification:</p><div><div><math>R_{avg} \leq 0.4\%</math> @ 425 - 675nm</div></div><p>Data outside this range is not guaranteed and is for reference only.</p><p><a href="#">Click Here to Download Data</a></p></div>                                                                                                                 |
| <div><div>Fused Silica with YAG-BBAR Coating</div></div>                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |

|                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <div><h3>Typical Transmission</h3></div>                                        | <p>Typical transmission of a 3mm thick fused silica window with YAG-BBAR (500-1100nm) coating at 0° AOI.</p> <p>The blue shaded region indicates the coating design wavelength range, with the following specification:</p> <p><math>R_{abs} \leq 0.25\%</math> @ 532nm<br/><math>R_{abs} \leq 0.25\%</math> @ 1064nm<br/><math>R_{avg} \leq 1.0\%</math> @ 500 - 1100nm</p> <p>Data outside this range is not guaranteed and is for reference only.</p> <p><a href="#">Click Here to Download Data</a></p>           |
| <div><h3>Fused Silica with NIR I Coating<br/>Typical Transmission</h3></div>   | <p>Typical transmission of a 3mm thick fused silica window with NIR I (600 - 1050nm) coating at 0° AOI.</p> <p>The blue shaded region indicates the coating design wavelength range, with the following specification:</p> <p><math>R_{avg} \leq 0.5\%</math> @ 600 - 1050nm</p> <p>Data outside this range is not guaranteed and is for reference only.</p> <p><a href="#">Click Here to Download Data</a></p>                                                                                                       |
| <div><h3>Fused Silica with NIR II Coating<br/>Typical Transmission</h3></div> | <p>Typical transmission of a 3mm thick fused silica window with NIR II (750 - 1550nm) coating at 0° AOI.</p> <p>The blue shaded region indicates the coating design wavelength range, with the following specification:</p> <p><math>R_{abs} \leq 1.5\%</math> @ 750 - 800nm<br/><math>R_{abs} \leq 1.0\%</math> @ 800 - 1550nm<br/><math>R_{avg} \leq 0.7\%</math> @ 750 - 1550nm</p> <p>Data outside this range is not guaranteed and is for reference only.</p> <p><a href="#">Click Here to Download Data</a></p> |

## Custom

Edmund Optics offers comprehensive custom manufacturing services for optical and imaging components tailored to your specific application requirements. Whether in the prototyping phase or preparing for full-scale production, we provide flexible solutions to meet your needs. Our experienced engineers are here to assist—from concept to completion.

Our capabilities include:

- Custom dimensions, materials, coatings, and more
- High-precision surface quality and flatness
- Tight tolerances and complex geometries
- Scalable production—from prototype to volume

Learn more about our [custom manufacturing capabilities](#) or submit an inquiry [here](#).

## Compatible Mounts