

[All Products](#) / [Optics](#) / [Optical Filters](#) / [Reflective Neutral Density \(ND\) Filters](#)

[See all 27 Products in Family](#)

**TECHSPEC® 25mm**



Please select your shipping country to view the most accurate inventory information, and to determine the correct Edmund Optics sales office for your order.

Select Your Country/Region: European Union

Submit

1

€333<sup>,95</sup>

ADD TO CART

Volume Pricing

Qty 1+ €333,95 each

Need More? [Request Quote](#)

Prices shown are exclusive of VAT/local taxes

Product Downloads

PDF Drawing:pdf

Download All

General

**Filters Included :** 0.3, 0.5, 1.0, 1.3, 1.5, 2.0, 2.5, 3.0

**Type:** Neutral Density Filter

Physical & Mechanical Properties

**Diameter (mm):** 25.00

**Thickness (mm):** 1.60 Nominal

**Dimensional Tolerance (mm):** ±0.5

**Clear Aperture (%):** 80

Optical Properties

**Angle of Incidence (°):** 0

**Substrate:** Float Glass

**Coating:** Surface 1: Inconel

**Blocking Wavelength Range (nm):** 400 - 700

**Wavelength Range (µm):** 0.4 - 0.7

Regulatory Compliance

**Certificate of Conformance:** [View](#)

Product Details

- Spectrally Flat
- Maximum Accuracy and Neutrality at Moderate Price
- Use Stacks to Create Intermediate Density Values

Reflective Neutral Density (ND) Filters have constant density values across the surface. The transmission-to-reflection ratio varies with density selection, whose relationship can be explained by the equation: T(Percent Transmission) = 10<sup>-OD</sup> x 100%. Optical Density exhibits an additive relationship; for example, stacking filters with OD values of 0.6 and 0.9 yields a resultant density of 1.5. In stacks, the total density is the sum of each filter's density. Reflective Neutral Density (ND) Filters are used primarily for attenuating light over a wide spectral range. They are often used in laser and photometer applications, where excessive power can cause damage or inaccurate results. For best results, orient the mirrored side toward the source at a 0° angle of incidence.

**Note:** Low optical density filters (0.1, 0.15, and 0.2 OD) are coated with thin layers of Inconel and their performance may shift overtime. To prolong the lifetime of these filters, we recommend using non-contact cleaning methods (such as compressed air) and avoiding the use of these filters in humid environments to prevent oxidation. Using contact cleaning

methods such as solvents will damage the coating and the product will no longer meet the advertised specifications.

**Note:** Due to supply chain issues, our kits may be delivered with an alternative packaging solution in place of a wooden box. For any questions, please contact [kits@edmundoptics.com](mailto:kits@edmundoptics.com).

## Reflective Neutral Density Filter Kits


Reflective Neutral Density Filter Kits are available in densities of 0.3, 0.5, 1.0, 1.3, 1.5, 2.0, 2.5, and 3.0. The kits with 14 filters include all available densities. Custom densities are available for OEM applications.

Please select your shipping country to view the most accurate inventory information, and to determine the correct Edmund Optics sales office for your order.

**Select Your Country/Region:**

### Special Handling

These optics require special handling to avoid damage and ensure long-term performance. Proper handling, cleaning, and storage are essential to maintain optical quality. Explore our [Optics Cleaning Resources](#) for step-by-step guides and best practices. For personalized assistance, [Email us](#) or [Chat](#) with our technical support team.



Component Handling Tools

## Accessories

**Note:** Compatible accessories for individual stock numbers may vary. If unsure about which accessories work with your products, please contact us [here](#).

	Title	Compare	Stock Number	Price	Buy
<a href="#">MORE+</a>	12.5mm Diameter, Reflective ND Filter Kit (14 Filters)		#64-348 <b>CLEARANCE</b>	€294,95 <a href="#">Request Quote</a>	7 In Stock <input type="text" value="1"/>
<a href="#">MORE+</a>	50mm Square, Reflective ND Filter Kit (14 Filters)		#64-350 <b>CLEARANCE</b>	€585,95 <a href="#">Request Quote</a>	1 In Stock <input type="text" value="1"/>
<a href="#">MORE+</a>	25mm Diameter, Reflective ND Filter Kit (8 Filters)		#54-460 <b>CLEARANCE</b>	€333,95 <a href="#">Request Quote</a>	2 In Stock <input type="text" value="1"/>

## Frequently Purchased Together



#30-933 - 0.3 OD 25mm Diameter, Reflective ND Filter  
€55,95

Qty



#30-935 - 1.0 OD 25mm Diameter, Reflective ND Filter  
€55,95

Qty



#47-952 - 200 x 200mm 220 Grit Ground Glass Diffuser  
€84,50

Qty



#54-081 - 60mm Diameter 0.04-3.0 OD, Circular ND Filter  
€440,00

Qty

## Resources

Media Type

APPLICATION NOTE

Understanding Neutral Density Filters

FAQ

What is an ND Filter?

FAQ

Can I place ND filters back-to-back and increase...

- Application Note
- FAQ
- Glossary
- Video

Please select your shipping country to view the most accurate inventory information, and to determine the correct Edmund Optics sales office for your order.

**Select Your Country/Region:**

difference  
between using  
an absorptiv...

orient my  
reflective ND  
or interferenc...

GLOSSARY

Continuously  
Variable  
Apodizing  
Filter

[View More](#)