

**TECHSPEC® 3.2mm, Aluminum Coated, N-BK7 High Tolerance RA Prism**



N-BK7 High Tolerance Right Angle Prisms

Stock **#32-538** **6 In Stock**

⊖ 1 ⊕ €129<sup>00</sup>

**ADD TO CART**

Volume Pricing	
Qty 1-5	€129,00 each
Qty 6-25	€103,00 each
Qty 26-49	€96,00 each
Need More?	<a href="#">Request Quote</a>

ⓘ Prices shown are exclusive of VAT/local taxes

Product Downloads

**SPECIFICATIONS**

**General**

Right Angle Prism **Type:**

## Physical & Mechanical Properties

**Dimensional Tolerance (mm):**

+0/-0.1

**Bevel:**

Protective as needed

**Length of Hypotenuse (mm):**

4.50

**Length of Legs (mm):**

3.20

## Optical Properties

**Angle Tolerance (arcsec):**

±15

**Coating:**

Aluminum with protective overcoat

**Substrate:**

[N-BK7](#)

**Surface Quality:**

40-20

**Image Orientation:**

Left-Handed

**Coating Specification:**

Reflective Surfaces:  $R_{avg} > 85\%$  FROM 400-700nm,  
@ 45° AOI

**Ray Deviation (°):**

90

**Wavelength Range (nm):**

400 - 2000

**Damage Threshold, By Design:**

Hypotenuse:  $0.3 \text{ J/cm}^2$  @ 532nm & 1064nm, 10ns

**Power (fringes) @ 632.8nm:**

1.25

**Irregularity (fringes) @ 632.8nm:**

0.25

## Regulatory Compliance

**RoHS 2015:**

[Compliant](#)

**Certificate of Conformance:**

[View](#)

**Reach 235:**




[Compliant](#)

## PRODUCT DETAILS


- Ray Deviation of 90°
- Left Handed Image
- Low Arcsecond Angle Tolerance
- Additional [Right Angle Prism](#) Options Available

TECHSPEC® N-BK7 High Tolerance Right Angle Prisms are generally used to bend image paths or redirect light at 90°. This process produces a left-handed image, depending on the prism's orientation, the image may be inverted or reverted. Right angle prisms can also be combined for image/beam displacement. TECHSPEC® N-BK7 High Tolerance Right Angle Prisms feature low arcsecond angle tolerance and are made from precision N-BK7 for use in a variety of visible light applications. These prisms are available uncoated, with a protective aluminum overcoat, or VIS° & aluminized.


## TECHNICAL INFORMATION




*Right Angle Prism Ray Path*



*Right Angle Prism Ray Path*



*Right Angle Prism Tunnel Diagram*



*Right Angle Prism Tunnel Diagram*

---