


[See all 11 Products in Family](#)

## Disc (0.5" Diameter x 0.125" Thickness), NdFeB 37



Stock #35-105 **20+ In Stock**

⊖ 1 ⊕ €18<sup>00</sup>

**ADD TO CART**

Volume Pricing	
Qty 1-5	€18,00 each
Qty 6-10	€16,60 each
Qty 11+	€16,10 each
Need More?	<a href="#">Request Quote</a>

ⓘ Prices shown are exclusive of VAT/local taxes

### Product Downloads

### General

Disc **Type:**

### Physical & Mechanical Properties

**Diameter (inches):**

0.50

**Thickness (inches):**

0.125

## Optical Properties

**Substrate:**

NdFeB 42

## Material Properties

**Gauss:**

5.5 lbs. lift

## Regulatory Compliance

**RoHS 2015:**

[Compliant](#)

**Reach 224:**

[Compliant](#)

**Certificate of Conformance:**

[View](#)

## Product Details

- Neodymium Iron Boron (NdFeB) and Samarium Cobalt (SmCo)
- High Resistivity to Demagnetization
- Extremely Strong
- Cost Effective

Rare Earth Magnets are constructed of Neodymium and Samarium Cobalt, offering the highest energy magnetic fields available in permanent magnets. They are ideal for applications requiring high energy but limited space. The Neodymium Iron Boron material is relatively expensive, but its high energy output makes it extremely cost-effective. Rare Earth Magnets, for this reason, are used in many demanding assembly and industrial applications where price is a concern. The Samarium Cobalt material is more stable than the NdFeB and, therefore, more appropriate for high temperature applications (250°C - 300°C).