

[See all 75 Products in Family](#)

LightPath 353515 | 3mm Dia., 0.40 NA, BBAR (350-700nm), Molded Aspheric Lens

See More by [Lightpath®](#)



Precision Molded Aspheric Lenses

Stock #16-684 **20+ In Stock**

⊖ 1 ⊕ €89.⁰⁰

ADD TO CART

Volume Pricing	
Qty 1-10	€89,00 each
Qty 11-49	€80,00 each
Need More?	Request Quote

ⓘ Prices shown are exclusive of VAT/local taxes

Product Downloads

General

Compatible Window:
Thickness: 0.25 (t) (mm) Material: BK7

Lightpath Lens Code:
353515

Type:
Aspheric Lens

Typical Applications:

Physical & Mechanical PropertiesDiameter (mm):
3.00 ±0.015Clear Aperture CA (mm):
2.7Edge Thickness ET (mm):
1.30Center Thickness CT (mm):
1.91 ±0.03Bevel:
Protective as needed**Optical Properties**Effective Focal Length EFL (mm):
3.52 @ 515nmNumerical Aperture NA:
0.40Substrate:
[H-FK61](#)Focal Length Tolerance (%):
±1Aspheric Design Wavelength (nm):
515Coating:
BBAR (350-700nm)Coating Specification:
R_{avg} ≤ 0.5% @ 350 - 700nmSurface Quality:
40-20f#:
1.25Abbe Number (v_d):
81.61Index of Refraction (n_d):
1.497Wavelength Range (nm):
350 - 700Working Distance (mm):
2.3Conjugate Distance:
InfiniteFocal Length Specification Wavelength (nm):
515Transmitted Wavefront Error (λ, RMS):
<0.040**Material Properties**Coefficient of Thermal Expansion CTE (10⁻⁶/°C):
13.8**Environmental & Durability Factors**Operating Temperature (°C):
≤200**Regulatory Compliance**RoHS 2015:
[Compliant](#)Certificate of Conformance:
[View](#)Reach 247:
[Compliant](#)**Product Details**

- Eliminate Spherical Aberration
- Multiple Coating Options Available
- Range of Numerical Apertures

LightPath® Geltech™ Molded Aspheric Lenses are used to eliminate spherical aberration and improve focusing and collimating accuracy in a variety of laser applications. Low NA aspheric lenses are designed to maintain beam shape, while high NA lenses gather all available light to maintain beam power over long distances. LightPath® Geltech™ Molded Aspheric Lenses are ideal for applications including sighting systems, bar code scanners, laser diode-to-fiber coupling, optical data storage, or biomedical lasers.

Technical Information

