

**TECHSPEC** XY Micro Positioning Stage Plate with RMS Thread



#85-722

Stock **#85-722** **1 In Stock**

⊖ 1 ⊕ €620.<sup>00</sup>

**ADD TO CART**

Volume Pricing	
Qty 1+	€620,00 each
Need More?	<a href="#">Request Quote</a>

ⓘ Prices shown are exclusive of VAT/local taxes

Product Downloads

**General**

Linear (XY) **Function:**

Objective **Type of Optics:**

## Physical & Mechanical Properties

RMS Plate Inner Diameter (mm):

38.0

Bolt Circle Diameter for 6mm Dia. Thru (mm):

50.0

Outer Diameter (mm):

7.0

Clear Aperture CA (mm):

Black Anodized Aluminum

Construction:

50 Dia.

Dimensions (mm):

28.00

Thickness (mm):

## Regulatory Compliance

RoHS 2015:

[Compliant](#)

Certificate of Conformance:

[View](#)

## Product Details

- Specialized Plates Designed to Hold and Position Optics
- Anodized Aluminum Construction with Stainless Steel Screws
- X-Y Micro Positioning Plate with RMS Mounting Thread

TECHSPEC® Cage System Adjustable Plates are used to integrate optical components into the TECHSPEC Cage System while providing rotary, tip-tilt, or linear adjustment. Rotary Mounts are available with M6 or 1/4-20 mounting threads and are designed to fit within the inner diameter of 25mm [cage system plates](#). The Kinematic Cage Mounting Plate is compatible with 30mm [cage system plates](#) and enables kinematic adjustment of cage system assemblies. The X-Y Micro Position Stage Plate also has 6mm rod holes, and features a 7mm clear aperture, X-Y micro-positioner, and an RMS threaded mount for precision mounting alignment.